

# SEDIMENTOLOGY

# SEDIMENTOLOGY

the journal of the  
International Association of Sedimentologists

Volume 59, Number 1, January 2012

ISSN 0037-0746 [www.sedimentology.org](http://www.sedimentology.org)

#### EDITORS


S Rice, *Loughborough, UK*

P Swart, *Miami, FL, USA*


#### GUEST EDITORS


T Frank, *Lincoln, NB, USA*

S Lokier, *Abu Dhabi, UAE*



Carbonate platforms:  
archives of past  
global change  
Special Issue

  
WILEY-  
BLACKWELL



- 1 Equatorial carbonates: an earth systems approach  
*M. E. J. Wilson*
- 32 Carbonate facies patterns in surface sediments of upwelling and non-upwelling shelf environments (Panama, East Pacific)  
*J. J. G. Reijmer, T. Bauch and P. Schäfer*
- 57 The origins of shallow-water carbonate lithofacies thickness distributions: one-dimensional forward modelling of relative sea-level and production rate control  
*P. M. Burgess and D. A. Pollitt*
- 81 Rudists and carbonate platforms in the Aptian: a case study on biotic interactions with ocean chemistry and climate  
*P. W. Skelton and E. Gili*
- 118 Sequence development in an isolated carbonate platform (Lower Jurassic, Djebel Bou Dahar, High Atlas, Morocco): influence of tectonics, eustasy and carbonate production  
*Ó. Merino-Tomé, G. D. Porta, J. A. M. Kenter, K. Verwer P. (Mitch) Harris, E. W. Adams, T. Playton and D. Corrochano*
- 156 Drowning of a carbonate platform as a precursor stage of the Early Toarcian global anoxic event (Southern Provence sub-Basin, South-east France)  
*P. Léonide, M. Floquet, C. Durllet, F. Baudin, B. Pittet and C. Lécuyer*
- 185 Rate and synchronicity of environmental changes on a shallow carbonate platform (Late Oxfordian, Swiss Jura Mountains)  
*A. Strasser, S. Védrine and N. Stienne*
- 212 Surfaces with a long history: the Aptian top Shu'aiba Formation unconformity, Sultanate of Oman  
*N. Rameil, A. Immenhauser, A. E. Csoma and G. Warrlich*
- 249 Characterization and interpretation of discontinuity surfaces in a Jurassic ramp setting (High Atlas, Morocco)  
*N. Christ, A. Immenhauser, F. Amour, M. Mutti, S. Tomás, S. M. Agar, R. Alway and L. Kabiri*
- 291 Imprint of the Late Palaeozoic Ice Age on stratigraphic and carbon isotopic patterns in marine carbonates of the Orogrande Basin, New Mexico, USA  
*J. T. Koch and T. D. Frank*
- 319 The stable carbon isotopic composition of organic material in platform derived sediments: implications for reconstructing the global carbon cycle  
*A. M. Oehlert, K. A. Lamb-Wozniak, Q. B. Devlin, G. J. Mackenzie, J. J. G. Reijmer and P. K. Swart*

## Forthcoming papers

- Geochemistry of Holocene salt marsh and tidal flat sediments on a barrier island in the southern North Sea (Langeoog, North-west Germany)  
*K. Kolditz, O. Dellwig, J. Barkowski, R. Bahlo, T. Leipe, H. Freund and H.-J. Brumsack*
- Anatomy of a laterally migrating tidal bar in front of a delta system: Esdolomada Member, Roda Formation, Graus-Tremp Basin, Spain  
*M. I. Olariu, C. Olariu, R. J. Steel, R. W. Dalrymple and A. Martinus*
- Orbitally forced sedimentary rhythms in the stratigraphic record: is there room for tidal forcing?  
*P. L. de Boer and J. T. Alexandre*
- Oligo-Miocene seagrass-influenced carbonate sedimentation along a temperate marine palaeoarchipelago, Padthaway Ridge, South Australia  
*N. K. Riordan, N. P. James and Y. Bone*
- Vented sediments and tsunami deposits in the Puget Lowland, Washington – differentiating sedimentary processes  
*M. E. Martin and J. Bourgeois*
- Salinity reflux and dolomitization of southern Australian slope sediments: the importance of low carbonate saturation levels  
*J. M. Rivers, T. K. Kyser and N. P. James*
- Controls on marine-erg margin cycle variability: aeolian-marine interaction in the mid-Cretaceous Iberian Desert System, Spain  
*J. P. Rodríguez-López, N. Meléndez, P. L. de Boer and A. R. Soria*
- A sedimentary facies model for stepped, fluvial tufa systems in the Iberian Range (Spain): the Quaternary Piedra and Mesa valleys  
*M. Vázquez-Urbez, C. Arenas and G. Pardo*
- Nummulitic banks in the upper Lutetian 'Buil level', Ainsa Basin, South Central Pyrenean Zone: the impact of internal waves  
*G. Mateu-Vicens, L. Pomar and C. Ferrández-Cañadell*
- 'Rare earth element geochemistry of scleractinian coral skeleton during meteoric diagenesis: a sequence through neomorphism of aragonite to calcite' by Webb *et al.*, *Sedimentology*, 56, 1433–1463: Discussion  
*K. H. Johannesson*

- 337 Geochemistry of Holocene salt marsh and tidal flat sediments on a barrier island in the southern North Sea (Langeoog, North-west Germany)  
*K. Kolditz, O. Dellwig, J. Barkowski, R. Bahlo, T. Leipe, H. Freund and H.-J. Brumsack*
- 356 Anatomy of a laterally migrating tidal bar in front of a delta system: Esdolomada Member, Roda Formation, Tremp-Graus Basin, Spain  
*M. I. Olariu, C. Olariu, R. J. Steel, R. W. Dalrymple and A. W. Martinus*
- 379 Orbitally forced sedimentary rhythms in the stratigraphic record: is there room for tidal forcing?  
*P. L. De Boer and J. Trabucho-Alexandre*
- 393 Oligo-Miocene seagrass-influenced carbonate sedimentation along a temperate marine palaeoarchipelago, Padthaway Ridge, South Australia  
*N. K. Riordan, N. P. James and Y. Bone*
- 419 Vented sediments and tsunami deposits in the Puget Lowland, Washington – differentiating sedimentary processes  
*M. E. Martin and J. Bourgeois*
- 445 Salinity reflux and dolomitization of southern Australian slope sediments: the importance of low carbonate saturation levels  
*J. M. Rivers, T. K. Kyser and N. P. James*
- 466 Controls on marine-erg margin cycle variability: aeolian-marine interaction in the mid-Cretaceous Iberian Desert System, Spain  
*J. P. Rodríguez-López, N. Meléndez, P. L. De Boer and A. R. Soria*
- 502 A sedimentary facies model for stepped, fluvial tufa systems in the Iberian Range (Spain): the Quaternary Piedra and Mesa valleys  
*M. Vázquez-Urbez, C. Arenas and G. Pardo*
- 527 Nummulitic banks in the upper Lutetian 'Buil level', Ainsa Basin, South Central Pyrenean Zone: the impact of internal waves  
*G. Mateu-Vicens, L. Pomar and C. Ferrández-Cañadell*
- 553 Carbonate deposition in a fluvial tufa system: processes and products (Corvino Valley – southern Italy)  
*E. Manzo, E. Perri and M. E. Tucker*
- 578 Unique authigenic mineral assemblages reveal different diagenetic histories in two neighbouring cold-water coral mounds on Pen Duick Escarpment, Gulf of Cadiz  
*H. Pirllet, L. M. Wehrmann, A. Foubert, B. Brunner, D. Blamart, L. De Mol, D. Van Rooij, J. Dewanckele, V. Cnudde, R. Swennen, P. Duyck and J.-P. Henriot*
- 605 Bed-thickness and grain-size trends in a small-scale proglacial channel-levée system; the Carboniferous Jejenes Formation, Western Argentina: implications for turbidity current flow processes  
*M. Dykstra, B. Kneller and J.-P. Milana*
- 623 Hyperspectral image analysis of different carbonate lithologies (limestone, karst and hydrothermal dolomites): the Pozalagua Quarry case study (Cantabria, North-west Spain)  
*T. H. Kurz, J. Dewit, S. J. Buckley, J. B. Thurmond, D. W. Hunt and R. Swennen*
- 646 Tempestite facies models for the epicontinental Triassic carbonates of the Betic Cordillera (southern Spain)  
*A. Pérez-López and F. Pérez-Valera*
- 679 Organic-facies determination: a key for understanding facies distribution in the basal peat layer of the Holocene Rhine-Meuse delta, The Netherlands  
*I. J. Bos, F. S. Busschers and W. Z. Hoek*
- 704 Interplay between river discharge and topography of the basin floor in a hyperpycnal lacustrine delta  
*C. Olariu, J. P. Bhattacharya, M. I. Leybourne, S. K. Boss and R. J. Stern*
- 729 "Rare earth element geochemistry of scleractinian coral skeleton during meteoric diagenesis: a sequence through neomorphism of aragonite to calcite" by Webb *et al.*, *Sedimentology*, 56, 1433–1463: Discussion  
*K. H. Johannesson*
- 733 Reply to the discussion by Karen Johannesson on "Rare earth element geochemistry of scleractinian coral skeleton during meteoric diagenesis: a sequence through neomorphism of aragonite to calcite" by Webb *et al.*, *Sedimentology*, 56, 1433–1463  
*G. E. Webb, L. D. Nothdurft and B. S. Kamber*

## Forthcoming papers

- Tsunami backwash deposits with Chicxulub impact ejecta and dinosaur remains from the Cretaceous–Palaeogene boundary in the La Popa Basin, Mexico  
*P. Schulte, J. Smit, A. Deutsch, T. Salge, A. Friese and K. Beichel*
- Mesophotic coral buildups in a prodelta setting (Late Eocene, southern Pyrenees, Spain): a mixed carbonate–siliciclastic system  
*M. Morsilli, F. R. Bosellini, L. Pomar, P. Hallock, M. Aurell and C. A. Papazzoni*
- A Late Barremian age for the onset of Urgonian-type facies in the Swiss Jura Mountains Reply to the discussion by Conrad *et al.* on "Stratigraphic, sedimentological and palaeoenvironmental constraints on the rise of the Urgonian Platform in the western Swiss Jura" by Godet *et al.* *Sedimentology*, 57, 1088–1125  
*A. Godet, K. B. Föllmi, S. Bodin, E. De kaenel, V. Matera, T. Adatte, A. Arnaud-Vanneau, H. Arnaud and J. Vermeulen*
- Discussion of: Stratigraphic, sedimentological and palaeoenvironmental constraints on the rise of the Urgonian platform in the western Swiss Jura, by A. Godet *et al.*, *Sedimentology* (2010) 57, 1088–1125  
*M. A. Conrad, B. Clavel, B. Granier, J. Charollais, R. Busnardo, E. Erba, S. Gardin, R. J. D. Chêne, D. Decrouez, A. Cherchi, R. Schroeder, J. Sauvagnat and M. Weidmann*
- Microbial influence on erosion, grain transport and bedform genesis in sandy substrates under unidirectional flow  
*J. W. Hagadorn and C. McDowell*
- Petrology and geochemistry of chert on the marginal zone of Yangtze Platform, western Hunan, South China during the Ediacaran–Cambrian transition  
*J. Wang, D. Chen, D. Wang, D. Yan, X. Zhou and Q. Wang*
- The durability of bioclastic sediments and implications for coral reef deposit formation  
*M. R. Ford and P. S. Kench*
- Carbonate platform dominated by peloidal sands: Lower Ordovician La Silla Formation of the eastern Precordillera, San Juan, Argentina  
*B. R. Pratt, M. M. Raviolo and O. L. Bordonaro*
- Climbing-ripple successions in turbidite systems: depositional environments, sedimentation rates and accumulation times  
*Z. R. Jobe, D. R. Lowe and W. R. Morris*

- 737 Tsunami backwash deposits with Chicxulub impact ejecta and dinosaur remains from the Cretaceous–Palaeogene boundary in the La Popa Basin, Mexico  
*P. Schulte, J. Smit, A. Deutsch, T. Salge, A. Friese and K. Beichel*
- 766 Mesophotic coral buildups in a prodelta setting (Late Eocene, southern Pyrenees, Spain): a mixed carbonate–siliciclastic system  
*M. Morsilli, F. R. Bosellini, L. Pomar, P. Hallock, M. Aurell and C. A. Papazzoni*
- 795 Microbial influence on erosion, grain transport and bedform genesis in sandy substrates under unidirectional flow  
*J. W. Hagadorn and C. Mcdowell*
- 809 Petrology and geochemistry of chert on the marginal zone of Yangtze Platform, western Hunan, South China, during the Ediacaran–Cambrian transition  
*J. Wang, D. Chen, D. Wang, D. Yan, X. Zhou and Q. Wang*
- 830 The durability of bioclastic sediments and implications for coral reef deposit formation  
*M. R. Ford and P. S. Kench*
- 843 Carbonate platform dominated by peloidal sands: Lower Ordovician La Silla Formation of the eastern Precordillera, San Juan, Argentina  
*B. R. Pratt, M. M. Raviolo and O. L. Bordonaro*
- 867 Climbing-ripple successions in turbidite systems: depositional environments, sedimentation rates and accumulation times  
*Z. R. Jobe, D. R. Lowe and W. R. Morris*
- 899 Evolution of an incised valley coastal plain estuary under low sediment supply: a 'give-up' estuary  
*J. A. G. Cooper, A. N. Green and C. I. Wright*
- 917 Evidence of Saharan dust in upper Pleistocene reworked palaeosols of North-west Sardinia, Italy: palaeoenvironmental implications  
*S. Andreucci, M. D. Bateman, C. Zucca, S. Kapur, I. Aksit, A. Dunajko and V. Pascucci*
- 939 Palaeoenvironmental and palaeoecological change on the northern Tethyan carbonate platform during the Late Barremian to earliest Aptian  
*M. Stein, A. Arnaud-Vanneau, T. Adatte, D. Fleitmann, J. E. Spangenberg and K. B. Föllmi*
- 964 A stratigraphic model to account for complexity in aeolian dune and interdune successions  
*N. P. Mountney*
- 990 Inter-annual variability of southerly winds in a coastal area of the Atacama Desert: implications for the export of aeolian sediments to the adjacent marine environment  
*V. Flores-Aqueveque, S. C. Alfaro, S. Caquineau, G. Foret, G. Vargas and J. A. Rutllant*
- 1001 Characteristics of sediment in transport in the swash zone of a steep estuarine foreshore  
*S. Saini, N. L. Jackson and K. F. Nordstrom*
- 1014 The spatial distribution of coarse surface grains and the stability of gravel river beds  
*M. M. Piedra, H. Haynes and T. B. Hoey*
- 1030 Sedimentology of a wet, pre-vegetation floodplain assemblage  
*P. Fralick and K. Zaniewski*
- 1050 The link between grain-size components and depositional processes in a modern clastic lake  
*J. Xiao, Z. Chang, J. Fan, L. Zhou, D. Zhai, R. Wen and X. Qin*
- 1063 Sedimentology of tsunami inflow and backflow deposits: key differences revealed in a modern example  
*H. Bahlburg and M. Spiske*
- 1087 Seismic evidence of up to 200 m lake-level change in Southern Patagonia since Marine Isotope Stage 4  
*A. C. Gebhardt, C. Ohlendorf, F. Niessen, M. De Batist, F. S. Anselmetti, D. Ariztegui, P. Kliem, S. Wastegård and B. Zolitschka*
- 1101 The vertical turbulence structure of experimental turbidity currents encountering basal obstructions: implications for vertical suspended sediment distribution in non-equilibrium currents  
*J. T. Eggenhuisen and W. D. McCaffrey*
- 1121 "Stratigraphic, sedimentological and palaeoenvironmental constraints on the rise of the Urganian platform in the western Swiss Jura" by A. Godet *et al.* (2010) *Sedimentology* 57, 1088–1125: Discussion  
*M. A. Conrad, B. Clavel, B. Granier, J. Charollais, R. Busnardo, E. Erba, S. Gardin, R. J. D. Chêne, D. Decrouez, A. Cherchi, R. Schroeder, J. Sauvagnat and M. Weidmann*
- 1126 A Late Barremian age for the onset of Urganian-type facies in the Swiss Jura Mountains  
Reply to the discussion by Conrad *et al.* on "Stratigraphic, sedimentological and palaeoenvironmental constraints on the rise of the Urganian Platform in the western Swiss Jura" by Godet *et al.* (2010), *Sedimentology*, 57, 1088–1125  
*A. Godet, K. B. Föllmi, S. Bodin, E. de Kaenel, V. Matera, T. Adatte, A. Arnaud-Vanneau, H. Arnaud and J. Vermeulen*

## Forthcoming papers

River-dominated, shelf-edge deltas: delivery of sand across the shelf break in the absence of slope incision  
*J. F. Dixon, R. J. Steel and C. Olariu*

Capturing and modelling metre-scale spatial facies heterogeneity in a Jurassic ramp setting (Central High Atlas, Morocco)  
*F. Amour, M. Mutti, N. Christ, A. Immenhauser, S. M. Agar, G. S. Benson, S. Tomás, R. Alway and L. Kabiri*

Ichnology and sedimentology of the Triassic carbonates of North-west Sardinia, Italy  
*D. Knaust and L. G. Costamagna*

Were Ediacaran siliciclastics of South Australia coastal or deep marine?  
*G. J. Retallack*

Playa-lake sedimentation and organic matter accumulation in an Andean piggyback basin: the recent record from the Cuenca de Pozuelos, North-west Argentina  
*M. M. Mcglue, G. S. Ellis, A. S. Cohen and P. W. Swarzenski*

Meganodular anhydritization: a new mechanism of gypsum to anhydrite conversion (Palaeogene–Neogene, Ebro Basin, North-east Spain)  
*F. Orti, L. Rosell, E. Playà and J. M. Salvany*

Variability of cold-water coral mounds in a high sediment input and tidal current regime, Straits of Florida  
*T. B. S. Correa, M. Grasmueck, G. P. Eberli, J. K. Reed, K. Verwer and S. Purkis*

Sub-Cambrian pedogenesis recorded in weathering profiles of the Arabian-Nubian Shield  
*A. Sandler, N. Teutsch and D. Avigad*

Kilometre-scale sand injectites in the intracratonic Murzuq Basin (South-west Libya): an igneous trigger?  
*J. Moreau, J. F. Ghienne and A. Hurst*

Multiple dolomitization events along the Pozalagua Fault (Pozalagua Quarry, Basque–Cantabrian Basin, Northern Spain)  
*R. Swennen, J. Dewit, E. Fierens, P. Muchez, M. Shah, F. Nader and D. Hunt*

Uplifted marine terraces of the Akamas Peninsula (Cyprus): evidence of climatic conditions during the Late Quaternary highstands  
*G. Frébourg, C.-A. Hasler and E. Davaud*

Typeset by SPS Ltd, Chennai, India.

- 1133 River-dominated, shelf-edge deltas: delivery of sand across the shelf break in the absence of slope incision  
*J. F. Dixon, R. J. Steel and C. Olariu*
- 1158 Capturing and modelling metre-scale spatial facies heterogeneity in a Jurassic ramp setting (Central High Atlas, Morocco)  
*F. Amour, M. Mutti, N. Christ, A. Immenhauser, S. M. Agar, G. S. Benson, S. Tomás, R. Alway and L. Kabiri*
- 1190 Ichnology and sedimentology of the Triassic carbonates of North-west Sardinia, Italy  
*D. Knaust and L. G. Costamagna*
- 1208 Were Ediacaran siliciclastics of South Australia coastal or deep marine?  
*G. J. Retallack*
- 1237 Playa-lake sedimentation and organic matter accumulation in an Andean piggyback basin: the recent record from the Cuenca de Pozuelos, North-west Argentina  
*M. M. McGlue, G. S. Ellis, A. S. Cohen and P. W. Swarzenski*
- 1257 Meganodular anhydritization: a new mechanism of gypsum to anhydrite conversion (Palaeogene–Neogene, Ebro Basin, North-east Spain)  
*F. Ortí, L. Rosell, E. Playà and J. M. Salvany*
- 1278 Variability of cold-water coral mounds in a high sediment input and tidal current regime, Straits of Florida  
*T. B. S. Correa, M. Grasmueck, G. P. Eberli, J. K. Reed, K. Verwer and S. Purkis*
- 1305 Sub-Cambrian pedogenesis recorded in weathering profiles of the Arabian-Nubian Shield  
*A. Sandler, N. Teutsch and D. Avigad*
- 1321 Kilometre-scale sand injectites in the intracratonic Murzuq Basin (South-west Libya): an igneous trigger?  
*J. Moreau, J. F. Ghienne and A. Hurst*
- 1345 Multiple dolomitization events along the Pozalagua Fault (Pozalagua Quarry, Basque–Cantabrian Basin, Northern Spain)  
*R. Swennen, J. Dewit, E. Fierens, P. Muchez, M. Shah, F. Nader and D. Hunt*
- 1375 The Holocene shallowing-upward parasequence of north-west Andros Island, Bahamas  
*A. C. Maloof and J. P. Grotzinger*

## Forthcoming papers

- Uplifted marine terraces of the Akamas Peninsula (Cyprus): evidence of climatic conditions during the Late Quaternary highstands  
*G. Frébourg, C.-A. Hasler and E. Davaud*
- Sedimentology, palaeoenvironments and biostratigraphy of the Pliocene–Pleistocene carbonate platform of Grande-Terre (Guadeloupe, Lesser Antilles forearc)  
*J.-J. Cornée, J.-L. Léticée, P. Münch, F. Quillévé, J.-F. Lebrun, P. Moissette, J.-C. Braga, M. Melinte-Dobrinescu, L. De Min, J. Oudet and A. Randrianasolo*
- Sedimentological–ichnological model for tide-dominated shelf sandbodies: Lower Cambrian Gog Group of western Canada  
*P. R. Desjardins, L. A. Buatois, B. R. Pratt and M. G. Mángano*
- Sharp-based marine sandstone bodies in the Mulichinco Formation (Lower Cretaceous), Neuquén Basin, Argentina: remnants of transgressive offshore sand ridges  
*E. Schwarz*
- Large tufa mounds, Searles Lake, California  
*X. Guo and H. S. Chafetz*
- Aeolian construction and alluvial dismantling of a fault-bounded intracontinental aeolian dune field (Teruel Basin, Spain); a continental perspective on Late Pliocene climate change and variability  
*J. P. Rodríguez-López, C. L. Liesa, J. van Dam, P. Lafuente, L. Arlegui, L. Ezquerro and P. L. de Boer*
- Sedimentological and ichnological signatures of changes in wave, river and tidal influence along a Neogene tropical deltaic shoreline  
*L. A. Buatois, N. Santiago, M. Herrera, P. Plink-Björklund, R. Steel, M. Espin and K. Parra*
- A depositional model for a wave-dominated open-coast tidal flat, based on analyses of the Cambrian–Ordovician Lagarto and Palmares formations, north-eastern Brazil  
*G. Basilici, P. H. V. de Luca and E. P. Oliveira*
- Relationship between Late Pleistocene sea-level variations, carbonate platform morphology and aragonite production (Maldives, Indian Ocean)  
*A. Paul, J. J. G. Reijmer, J. Fürstenau, H. Kinkel and C. Betzler*
- Calcretes, fluviolacustrine sediments and subsidence patterns in Permo-Triassic salt-walled minibasins of the south Urals, Russia  
*A. J. Newell, M. J. Benton, T. Kearsy, G. Taylor, R. J. Twitchett and V. P. Tverdokhlebov*

- 1409 Uplifted marine terraces of the Akamas Peninsula (Cyprus): evidence of climatic conditions during the Late Quaternary highstands  
*G. Frébourg, C.-A. Hasler and E. Davaud*
- 1426 Sedimentology, palaeoenvironments and biostratigraphy of the Pliocene–Pleistocene carbonate platform of Grande-Terre (Guadeloupe, Lesser Antilles forearc)  
*J.-J. Cornée, J.-L. Léticée, P. Münch, F. Quillévéré, J.-F. Lebrun, P. Moissette, J.-C. Braga, M. Melinte-Dobrinescu, L. de Min, J. Oudet and A. Randrianasolo*
- 1452 Sedimentological–ichnological model for tide-dominated shelf sandbodies: Lower Cambrian Gog Group of western Canada  
*P. R. Desjardins, L. A. Buatois, B. R. Pratt and M. G. Mangano*
- 1478 Sharp-based marine sandstone bodies in the Mulichinco Formation (Lower Cretaceous), Neuquén Basin, Argentina: remnants of transgressive offshore sand ridges  
*E. Schwarz*
- 1509 Large tufa mounds, Searles Lake, California  
*X. Guo and H. S. Chafetz*
- 1536 Aeolian construction and alluvial dismantling of a fault-bounded intracontinental aeolian dune field (Teruel Basin, Spain); a continental perspective on Late Pliocene climate change and variability  
*J. P. Rodríguez-López, C. L. Liesa, J. Van Dam, P. Lafuente, L. Arlegui, L. Ezquerro and P. L. de Boer*
- 1568 Sedimentological and ichnological signatures of changes in wave, river and tidal influence along a Neogene tropical deltaic shoreline  
*L. A. Buatois, N. Santiago, M. Herrera, P. Plink-Björklund, R. Steel, M. Espin and K. Parra*
- 1613 A depositional model for a wave-dominated open-coast tidal flat, based on analyses of the Cambrian–Ordovician Lagarto and Palmares formations, north-eastern Brazil  
*G. Basilici, P. H. V. de Luca and E. P. Oliveira*
- 1640 Relationship between Late Pleistocene sea-level variations, carbonate platform morphology and aragonite production (Maldives, Indian Ocean)  
*A. Paul, J. J. G. Reijmer, J. Fürstenau, H. Kinkel and C. Betzler*
- 1659 Calcretes, fluviolacustrine sediments and subsidence patterns in Permo-Triassic salt-walled minibasins of the south Urals, Russia  
*A. J. Newell, M. J. Benton, T. Kearsy, G. Taylor, R. J. Twitchett and V. P. Tverdokhlebov*

## Forthcoming papers

- Sea-level rise, depth-dependent carbonate sedimentation and the paradox of drowned platforms  
*W. Kim, B. W. Fouke, A. L. Petter, T. M. Quinn, C. Kerans and F. Taylor*
- Palaeoclimate of the Late Jurassic of Portugal: comparison with the Western United States  
*T. S. Myers, N. J. Tabor, L. L. Jacobs and O. Mateus*
- Magnetic mineral transport and sorting in the swash-zone: northern Lake Erie, Canada  
*E. Gallaway, A. S. Trenhaile, M. T. Cioppa and R. G. Hatfield*
- Evolution of an organic-rich lake basin – stratigraphy, climate and tectonics: Piceance Creek basin, Eocene Green River Formation  
*K. Tănăsuiu-Milkevičienė and J. Frederick Sarg*
- Rinded iron-oxide concretions: hallmarks of altered siderite masses of both early and late diagenetic origin  
*D. B. Loope, R. M. Kettler, K. A. Weber, N. L. Hinrichs and D. T. Burgess*
- Climate-controlled aggradation and cyclicity of continental loessic siliciclastic sediments in Asselian–Sakmarian cyclothems, Permian, Hugoton embayment, USA  
*M. K. Dubois, R. H. Goldstein and S. T. Hasiotis*
- Barite in the ocean – occurrence, geochemistry and palaeoceanographic applications  
*E. M. Griffith and A. Paytan*
- Geological investigation and optical dating of Quaternary siliciclastic sediments near Apalachicola, North-west Florida, USA  
*K. E. Burdette, W. J. Rink, G. I. López, D. J. Mallinson, P. R. Parham and E. G. Reinhardt*
- Facies architecture of individual basin-plain turbidites: Comparison with existing models and implications for flow processes  
*E. J. Sumner, P. J. Talling, L. A. Amy, R. B. Wynn, C. J. Stevenson and M. Frenz*
- Granule ripples in the Kumtagh Desert, China: Morphology, grain size and influencing factors  
*G. Qian, Z. Dong, Z. Zhang, W. Luo and J. Lu*
- Progradational Holocene carbonate tidal flats of Crooked Island, south-east Bahamas: An alternative to the humid channelled belt model  
*A. Berkeley and E. C. Rankey*

- 1677 Sea-level rise, depth-dependent carbonate sedimentation and the paradox of drowned platforms  
*W. Kim, B. W. Fouke, A. L. Petter, T. M. Quinn, C. Kerans and F. Taylor*
- 1695 Palaeoclimate of the Late Jurassic of Portugal: comparison with the Western United States  
*T. S. Myers, N. J. Tabor, L. L. Jacobs and O. Mateus*
- 1718 Magnetic mineral transport and sorting in the swash-zone: northern Lake Erie, Canada  
*E. Gallaway, A. S. Trenhaile, M. T. Cioppa and R. G. Hatfield*
- 1735 Evolution of an organic-rich lake basin – stratigraphy, climate and tectonics: Piceance Creek basin, Eocene Green River Formation  
*K. Tānavsū-Milkevičienė and J. Frederick Sarg*
- 1769 Rinded iron-oxide concretions: hallmarks of altered siderite masses of both early and late diagenetic origin  
*D. B. Loope, R. M. Kettler, K. A. Weber, N. L. Hinrichs and D. T. Burgess*
- 1782 Climate-controlled aggradation and cyclicity of continental loessic siliciclastic sediments in Asselian–Sakmarian cyclothems, Permian, Hugoton embayment, USA  
*M. K. Dubois, R. H. Goldstein and S. T. Hasiotis*
- 1817 Barite in the ocean – occurrence, geochemistry and palaeoceanographic applications  
*E. M. Griffith and A. Paytan*
- 1836 Geological investigation and optical dating of Quaternary siliciclastic sediments near Apalachicola, North-west Florida, USA  
*K. E. Burdette, W. J. Rink, G. I. López, D. J. Mallinson, P. R. Parham and E. G. Reinhardt*
- 1850 Facies architecture of individual basin-plain turbidites: Comparison with existing models and implications for flow processes  
*E. J. Sumner, P. J. Talling, L. A. Amy, R. B. Wynn, C. J. Stevenson and M. Frenz*
- 1888 Granule ripples in the Kumtagh Desert, China: Morphology, grain size and influencing factors  
*G. Qian, Z. Dong, Z. Zhang, W. Luo and J. Lu*
- 1902 Progradational Holocene carbonate tidal flats of Crooked Island, south-east Bahamas: An alternative to the humid channelled belt model  
*A. Berkeley and E. C. Rankey*
- 1926 Validation and implications of an energy-based bedload transport equation  
*P. Gao*

## Forthcoming papers

Subaqueous sediment density flows: Depositional processes and deposit types

*P. J. Talling, D. G. Masson, E. J. Sumner and G. Malgesini*

Swell impact on reef sedimentary processes: A case study of the La Reunion fringing reef

*E. Cordier, E. Poizat and Y. Méar*

Recent macroids on the Kikai-jima shelf, Central Ryukyu Islands, Japan

*D. Bassi, Y. Iryu, M. Humblet, H. Matsuda, H. Machiyama, K. Sasaki, S. Matsuda, K. Arai and T. Inoue*

Channelized debris-flow deposits and their impact on turbidity currents: The Puchkirchen axial channel belt in the Austrian Molasse Basin

*A. Bernhardt, L. Stright and D. R. Lowe*

Particle size scales and classification of sediment types based on particle size distributions: Review and recommended procedures

*S. J. Blott and K. Pye*

Lithofacies and cyclicity of Mohilla evaporite basins on the rifted margin of the Levant in the Late Triassic, Makhtesh Ramon, southern Israel

*O. M. Bialik, D. Korngreen and C. Benjamini*

Contrasting morphodynamics in alluvial fans and fan deltas: effect of the downstream boundary

*M. Van Dijk, M. G. Kleinmans, G. Postma and E. Kraal*

Geomorphology of carbonate platform-marginal uppermost slopes: Insights from a Holocene analogue, Little Bahama Bank, Bahamas

*E. C. Rankey and D. F. Doolittle*

Production of mud-grade carbonates by marine fish: Crystalline products and their sedimentary significance

*M. A. Salter, C. T. Perry and R. W. Wilson*

Karst subsidence as a control on the accumulation and preservation of aeolian deposits: A Pleistocene example from a proglacial outwash setting, Ebro Basin, Spain

*A. Luzón, J. P. Rodríguez-López, A. Pérez, M. A. Soriano, H. Gil and A. Pocovi*

Controls on large-scale patterns of fluvial sandbody distribution in alluvial to coastal plain strata: Upper Cretaceous Blackhawk Formation, Wasatch Plateau, Central Utah, USA

*G. J. Hampson, M. Royhan Gani, H. Sahoo, A. Rittersbacher, N. Irfan, A. Ranson, T. O. Jewell, N. D. S. Gani, J. A. Howell, S. J. Buckley and B. Bracken*

- 1937 Subaqueous sediment density flows: Depositional processes and deposit types  
*P. J. Talling, D. G. Masson, E. J. Sumner and G. Malgesini*
- 2004 Swell impact on reef sedimentary processes: A case study of the La Reunion fringing reef  
*E. Cordier, E. Poizat and Y. Méar*
- 2024 Recent macroids on the Kikai-jima shelf, Central Ryukyu Islands, Japan  
*D. Bassi, Y. Iryu, M. Humblet, H. Matsuda, H. Machiyama, K. Sasaki, S. Matsuda, K. Arai and T. Inoue*
- 2042 Channelized debris-flow deposits and their impact on turbidity currents: The Puchkirchen axial channel belt in the Austrian Molasse Basin  
*A. Bernhardt, L. Stright and D. R. Lowe*
- 2071 Particle size scales and classification of sediment types based on particle size distributions: Review and recommended procedures  
*S. J. Blott and K. Pye*
- 2097 Lithofacies and cyclicity of Mohilla evaporite basins on the rifted margin of the Levant in the Late Triassic, Makhtesh Ramon, southern Israel  
*O. M. Bialik, D. Korngreen and C. Benjamini*
- 2125 Contrasting morphodynamics in alluvial fans and fan deltas: effect of the downstream boundary  
*M. Van Dijk, M. G. Kleinbans, G. Postma and E. Kraal*
- 2146 Geomorphology of carbonate platform-marginal uppermost slopes: Insights from a Holocene analogue, Little Bahama Bank, Bahamas  
*E. C. Rankey and D. F. Doolittle*
- 2172 Production of mud-grade carbonates by marine fish: Crystalline products and their sedimentary significance  
*M. A. Salter, C. T. Perry and R. W. Wilson*
- 2199 Karst subsidence as a control on the accumulation and preservation of aeolian deposits: A Pleistocene example from a proglacial outwash setting, Ebro Basin, Spain  
*A. Luzón, J. P. Rodríguez-López, A. Pérez, M. A. Soriano, H. Gil and A. Pocovi*
- 2226 Controls on large-scale patterns of fluvial sandbody distribution in alluvial to coastal plain strata: Upper Cretaceous Blackhawk Formation, Wasatch Plateau, Central Utah, USA  
*G. J. Hampson, M. R. Gani, H. Sahoo, A. Rittersbacher, N. Irfan, A. Ranson, T. O. Jewell, N. D. S. Gani, J. A. Howell, S. J. Buckley and B. Bracken*
- 2259 Post-deposition diffusion of  $^{137}\text{Cs}$  in lake sediment: Implications for radiocaesium dating  
*J. Klaminder, P. Appleby, P. Crook and I. Renberg*

## Forthcoming papers

Spatial variability of watermass conditions within the European Epicontinental Seaway during the Early Jurassic (Pliensbachian–Toarcian)

*D. Harazin, B. Van de Schootbrugge, K. Sorichter, J. Fiebig, A. Weug, G. Suan and W. Oschmann*

Depositional processes beneath coastal multi-year sea ice

*K. T. Murray, M. F. Miller and S. S. Bowser*

An interglacial on snowball Earth? Dynamic ice behaviour revealed in the Chuos Formation, Namibia

*D. P. L. Heron, M. E. Busfield and F. Kamona*

Impact of lake-level changes on the formation of thermogene travertine in continental rifts: evidence from Lake Bogoria, scKenya Rift Valley

*R. W. Renaut, R. B. Owen, B. Jones, J.-J. Tiercelin, C. Tarits, J. K. Ego and K. O. Konhauser*

Evidence for a transgressive barrier within a regressive strandplain system: implications for complex coastal response to environmental change

*C. J. Hein, D. M. Fitzgerald, W. J. Cleary, M. B. Albernaz, J. T. de Menezes and A. H. D. F. Klein*

Quaternary coastal lithofacies, sequence development and stratigraphy in a passive margin setting, North Carolina and Virginia, USA

*P. R. Parham, S. R. Riggs, S. J. Culver, D. J. Mallinson, W. J. Rink and K. Burdette*

Pyrite geochemistry in the Toarcian Posidonia Shale of south-west Germany: evidence for contrasting trace-element patterns of diagenetic and syngenetic pyrites

*Z. A. Berner, H. Puchelt, T. Nöltner and U. Kramar*

Deciphering condensed sequences: a case study from the oxfordian (upper jurassic) dhosa oolite member of the Kachchh basin, western India

*M. Alberti, F. T. Fürsich and D. K. Pandey*

From non-tidal shelf to tide-dominated strait: the Miocene Bonifacio Basin, Southern Corsica

*R. Jean-Yves, F. Michelle, F. Jean, S. Miguel, T. Isabelle, A. J.-Pierre, B. Yves, G. Pol and T. Bernadette*

Soft-sediment deformation structures in a Pleistocene glaciolacustrine delta and their implications for the recognition of subenvironments in delta deposits

*M. Pisarska-Jamrozý and P. Weckwerth*