



# POSTHARVEST BIOLOGY AND TECHNOLOGY

AN INTERNATIONAL JOURNAL



CONTENTS

Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)

Baby-leaf and multi-leaf of green and red lettuces are suitable raw materials for the fresh-cut industry A. Martínez-Sánchez, M.C. Luna, M.V. Selma, J.A. Tudela (Murcia, Spain), J. Abad (Almería, Spain) and M.I. Gil (Murcia, Spain)	1
Blue light alters infection by <i>Penicillium digitatum</i> in tangerines F. Alferéz (Valencia, Spain), H.-L. Liao and J.K. Burns (Lake Alfred, FL, USA)	11
Sensory quality, bioactive constituents and microbiological quality of green and red fresh-cut lettuces ( <i>Lactuca sativa</i> L.) are influenced by soil and soilless agricultural production systems M.V. Selma, M.C. Luna, A. Martínez-Sánchez, J.A. Tudela, D. Beltrán (Murcia, Spain), C. Baixauli (Valencia, Spain) and M.I. Gil (Murcia, Spain)	16
New degreening treatments to improve the quality of citrus fruit combining different periods with and without ethylene exposure S. Sdiri, P. Navarro, A. Monterde (Valencia, Spain), J. Benabda (Sousse, Tunisia) and A. Salvador (Valencia, Spain)	25
Control of lemon green mold by a sequential oxidative treatment and sodium bicarbonate L. Cerioni, L. Rodríguez-Montelongo, J. Ramallo, F.E. Prado, V.A. Rapisarda and S.I. Volentini (Tucumán, Argentina)	33
Allergen related gene expression in apple fruit is differentially controlled by ethylene during ripening X. Yang (Guangzhou, China), J. Song, L. Campbell-Palmer, B. Walker (Nova Scotia, Canada) and Z. Zhang (Guangzhou, China)	40
A preliminary study on the effect of metabolic stress disinfection and disinfestation (MSDD) on ripening physiology and quality of kiwifruit and apple F. Zuhendri, L.E. Jamieson, J. Feng, C.O. Perera, S.Y. Quek and A.B. Woolf (Auckland, New Zealand)	50
Antifungal activity of sulfur-containing salts against the development of carrot cavity spot and potato dry rot E.A. Kolaei (Ontario, Canada), R.J. Tweddell (Québec, Canada) and T.J. Avis (Ontario, Canada and Québec, Canada)	55
Pheophytinase activity and gene expression of chlorophyll-degrading enzymes relating to UV-B treatment in postharvest broccoli ( <i>Brassica oleracea</i> L. Italica Group) florets S. Aiama-or (Tottori, Japan), T. Nakajima (Tottori, Japan), M. Shigyo and N. Yamauchi (Tottori, Japan and Yamaguchi, Japan)	60
Differential expression of allene oxide synthase (AOS), and jasmonate relationship with ethylene biosynthesis in seed and mesocarp of developing peach fruit P. Torrigiani, F. Fregola, V. Ziosi, K.B. Ruiz (Bologna, Italy), S. Kondo (Chiba, Japan) and G. Costa (Bologna, Italy)	67
Monitoring of fresh-cut spinach leaves through a multispectral vision system L. Lunadei, B. Diezma, L. Lleó, L. Ruiz-García, S. Cantalapiedra and M. Ruiz-Altisent (Madrid, Spain)	74
Ethylene biosynthesis in apricot: Identification of a ripening-related 1-aminocyclopropane-1-carboxylic acid synthase (ACS) gene P. Muñoz-Robredo, P. Rubio, R. Infante, R. Campos-Vargas, D. Manríquez, M. González-Agüero and B.G. Defilippi (Santiago, Chile)	85
Multivariate analysis of fresh-cut carambola slices stored under different temperatures G.H.A. Teixeira (São Paulo, Brazil), J.F. Durigan, A.S. Ferraudo (Jaboticabal, Brazil), R.E. Alves (Fortaleza, Brazil) and T.J. O'Hare (Gatton, Australia)	91
Modified atmosphere packaging and ethanol vapor to control decay of 'Red Globe' table grapes during storage E. Candir, A.E. Ozdemir, O. Kamiloglu, E.M. Soylu (Antakya, Turkey), R. Dilbaz (Yenice, Turkey) and D. Ustun (Antakya, Turkey)	98
Effect of meta-topolin on leaf senescence and rooting in <i>Pelargonium × hortorum</i> cuttings T.M. Mutui (Eldoret, Kenya), H. Mibus and M. Serek (Hannover, Germany)	107
Effects of ethylene, pollination, and ethylene inhibitor treatments on flower senescence of gentians H. Shimizu-Yumoto and K. Ichimura (Ibaraki, Japan)	111
Metabolite content of harvested Micro-Tom tomato ( <i>Solanum lycopersicum</i> L.) fruit is altered by chilling and protective heat-shock treatments as shown by GC-MS metabolic profiling K. Luengwilai, M. Saltveit and D.M. Beckles (Davis, CA, USA)	116
Chilling-injury of harvested tomato ( <i>Solanum lycopersicum</i> L.) cv. Micro-Tom fruit is reduced by temperature pre-treatments K. Luengwilai, D.M. Beckles and M.E. Saltveit (Davis, CA, USA)	123
Factors affecting the postharvest soluble solids and sugar content of tomato ( <i>Solanum lycopersicum</i> L.) fruit D.M. Beckles (Davis, CA, USA)	129
Recent advances on the use of natural and safe alternatives to conventional methods to control postharvest gray mold of table grapes G. Romanazzi (Ancona, Italy), A. Lichter (The Volcani Center, Israel), F.M. Gabler (Fresno, CA, USA) and J.L. Smilanick (Parlier, CA, USA)	141



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Influence of exogenous ethylene during refrigerated storage on storability and quality of <i>Actinidia chinensis</i> (cv. Hort16A) T. Pranamornkith, A. East and J. Heyes (Palmerston North, New Zealand)	1
Hot water treatments reduce leaf yellowing and extend vase life of Asiatic hybrid lilies A.B. Woolf (Auckland, New Zealand), S. Combes (Auzeville-Tolosane, France), M. Petley, S.R. Olsson, M. Wohlers and R.C. Jackman (Auckland, New Zealand)	9
Dynamic controlled atmosphere (DCA): Does fluorescence reflect physiology in storage? A.H. Wright (Kentville, Canada and Halifax, Canada), J.M. DeLong (Kentville, Canada), A.H.L.A.N. Gunawardena (Halifax, Canada) and R.K. Prange (Kentville, Canada)	19
Flower bud abscission triggered by the anther in the Asiatic hybrid lily S.A. Hwang, P.O. Lee, H.S. Lee, J.S. Lee (Daejeon, Republic of Korea), M.S. Roh (Beltsville, MD, USA) and M.P. Choi (Suwon, Republic of Korea)	31
Biocontrol of <i>Botrytis cinerea</i> in table grapes by non-pathogenic indigenous <i>Saccharomyces cerevisiae</i> yeasts isolated from viticultural environments in Argentina M.C. Nally, V.M. Pesce, Y.P. Maturano (San Juan, Argentina), C.J. Muñoz (Almirante Brown, Argentina), M. Combina (Mendoza, Argentina), M.E. Toro (San Juan, Argentina), L.L.C. de Figueroa (Tucumán, Argentina) and F. Vazquez (San Juan, Argentina)	40
Modelling the respiration rates of pomegranate fruit and arils O.J. Caleb (Stellenbosch, South Africa), P.V. Mahajan (Ireland), U.L. Opara and C.R. Witthuhn (Stellenbosch, South Africa)	49
Use of 1-methylcyclopropene in cyclodextrin-based nanosponges to control grey mould caused by <i>Botrytis cinerea</i> on <i>Dianthus caryophyllus</i> cut flowers L. Seglie, D. Spadaro, F. Trotta, M. Devecchi, M.L. Gullino and V. Scariot (Turin, Italy)	55
Relation of biospeckle activity with chlorophyll content in apples A. Zdunek (Lublin, Poland) and W.B. Herppich (Potsdam, Germany)	58
Postharvest water relations in cut rose cultivars with contrasting sensitivity to high relative air humidity during growth D. Fanourakis (Wageningen, The Netherlands), S.M.P. Carvalho (Wageningen, The Netherlands and Porto, Portugal), D.P.F. Almeida (Porto, Portugal), O. van Kooten (Wageningen, The Netherlands), W.G. van Doorn (Davis, CA, USA) and E. Heuvelink (Wageningen, The Netherlands)	64
Relation of computerized tomography Hounsfield unit measurements and internal components of fresh chestnuts ( <i>Castanea</i> spp.) I.R. Donis-González, D.E. Guyer, A. Pease and D.W. Fulbright (East Lansing, MI, USA)	74
Anaerobic metabolism during short and long term storage of kiwifruit R. Botondi, V. Russo and F. Mencarelli (Viterbo, Italy)	83
Longkong fruit abscission and its control P. Taesakul, N. Pradisthakarn (Nakhon Pathom, Thailand), S. Chantaksinopas (Yala, Thailand) and J. Siriphanich (Nakhon Pathom and Bangkok, Thailand)	91
Molecular analysis of softening and ethylene synthesis and signaling pathways in a non-softening apple cultivar, 'Honeycrisp' and a rapidly softening cultivar, 'McIntosh' J. Harb (Ithaca, NY, USA and Palestine), N.E. Gapper, J.J. Giovannoni and C.B. Watkins (Ithaca, NY, USA)	94
Salicylic acid alleviates chilling injury in anthurium ( <i>Anthurium andraeanum</i> L.) flowers S. Promyou (Sakonkakhon, Thailand), S. Ketsa (Bangkok, Thailand) and W.G. van Doorn (Davis, CA, USA)	104
Structural and physiological changes associated with the skin spot disorder in apple E. Grimm, B.P. Khanal, A. Winkler, M. Knoche (Hannover, Germany) and D. Köpcke (Jork, Germany)	111
Effects of UV-C treatment on inactivation of <i>Escherichia coli</i> O157:H7, microbial loads, and quality of button mushrooms W. Guan (Tianjin, China), X. Fan (Wyndmoor, PA, USA) and R. Yan (Tianjin, China)	119
The combination of curing with either chitosan or <i>Bacillus subtilis</i> CPA-8 to control brown rot infections caused by <i>Monilinia fructicola</i> C. Casals (Lleida, Spain), P.A.G. Elmer (Hamilton, New Zealand), I. Viñas, N. Teixidó, M. Sisquella and J. Usall (Lleida, Spain)	126
Effect of 1-methylcyclopropene (1-MCP) on reducing postharvest decay in tomatoes ( <i>Solanum lycopersicum</i> L.) H. Su and W.D. Gubler (Davis, CA, USA)	133

*(Contents continued on BM II)*



(Contents continued from OBC)

The effect of metabolic stress disinfection and disinfestation (MSDD) on 'Hass' avocado fruit physiology and mortality of longtailed mealybug ( <i>Pseudococcus longispinus</i> )	
F. Zulhendri, L.E. Jamieson, C.O. Perera, R.M. McDonald, P.G. Connolly, S.Y. Quek and A.B. Woolf (Auckland, New Zealand)	138
Expression of a lipoxygenase encoding gene ( <i>BoLOX1</i> ) during postharvest senescence of broccoli	
M.E. Gomez-Lobato (Buenos Aires, Argentina), P.M. Civello and G.A. Martinez (Buenos Aires, Argentina and La Plata, Argentina)	146
Effect of continuous 0.3 $\mu$ L/L gaseous ozone exposure on fungicide residues on table grape berries	
H. Karaca (Denizli, Turkey), S.S. Walse and J.L. Smilanick (Parlier, CA, USA)	154
Methyl jasmonate alters arginine catabolism and improves postharvest chilling tolerance in cherry tomato fruit	
X. Zhang (Beijing, PR China and Shandong, China), J. Sheng (Beijing, PR China), F. Li (Shandong, China), D. Meng and L. Shen (Beijing, PR China)	160
UV-C irradiation induces defence responses and improves vase-life of cut gerbera flowers	
A.I. Darras, V. Demopoulos and C. Tiniakou (Kalamata, Greece)	168
Importance of storage temperatures in maintaining flavor and quality of mandarins	
Z. Tietel (Bet Dagan, Israel), E. Lewinsohn (Ramat Yishay, Israel), E. Fallik and R. Porat (Bet Dagan, Israel)	175

CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Postharvest jasmonic acid treatment of sugarbeet roots reduces rot due to <i>Botrytis cinerea</i> , <i>Penicillium claviforme</i> , and <i>Phoma betae</i> K.K. Fugate (Fargo, ND, USA), J.P. Ferrareze (Viçosa, Brazil), M.D. Bolton, E.L. Deckard and L.G. Campbell (Fargo, ND, USA)	1
Cold-induced endogenous nitric oxide generation plays a role in chilling tolerance of loquat fruit during postharvest storage M. Xu, J. Dong, M. Zhang, X. Xu and L. Sun (Hangzhou, China)	5
Effect of postharvest degreening followed by a cold-quarantine treatment on vitamin C, phenolic compounds and antioxidant activity of early-season citrus fruit S. Sdiri, P. Navarro, A. Monterde (Valencia, Spain), J. Benabda (Sousse, Tunisia) and A. Salvador (Valencia, Spain)	13
Climacteric level during fruit ripening influences lipid peroxidation and enzymatic and non-enzymatic antioxidative systems in Japanese plums ( <i>Prunus salicina</i> Lindell) S.P. Singh, Z. Singh and E.E. Swinny (Perth, Australia)	22
Maintaining the quality of unripe, fresh hazelnuts through storage under modified atmospheres R. Moscetti, M.T. Frangipane, D. Monarca, M. Cecchini and R. Massantini (Viterbo, Italy)	33
Activity of salts incorporated in wax in controlling postharvest diseases of citrus fruit K. Youssef (Bari, Italy and Giza, Egypt), A. Ligorio, F. Nigro and A. Ippolito (Bari, Italy)	39
Superficial scald, its etiology and control S. Lurie (Bet Dagan, Israel) and C.B. Watkins (Ithaca, NY, USA)	44
Effect of heat treatment on inhibition of <i>Monilinia fructicola</i> and induction of disease resistance in peach fruit J. Liu (Kearneysville, WV, USA and Beijing, China), Y. Sui, M. Wisniewski (Kearneysville, WV, USA), S. Drobny (Bet Dagan, Israel), S. Tian (Beijing, China), J. Norelli (Kearneysville, WV, USA) and V. Hershkovitz (Bet Dagan, Israel)	61
Effects of ethephon on physicochemical and quality properties of kiwifruit during ripening L. Zhang, S. Li, X. Liu, C. Song and X. Liu (Yangling, PR China)	69
Safe use of sodium metabisulfite in young coconuts K. Mohpraman and J. Siriphanich (Nakhon Pathom, Thailand and Bangkok, Thailand)	76
Antioxidant metabolism of 1-methylcyclopropene (1-MCP) treated 'Empire' apples during controlled atmosphere storage J. Lee (Ithaca, NY, USA and Wenatchee, WA, USA), L. Cheng (Ithaca, NY, USA), D.R. Rudell (Wenatchee, WA, USA) and C.B. Watkins (Ithaca, NY, USA)	79



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Differential expression of kiwifruit <i>ERF</i> genes in response to postharvest abiotic stress X.-r. Yin (Hangzhou, PR China), A.C. Allan (Auckland, New Zealand), Q. Xu (Hangzhou, PR China), J. Burdon, S. Dejnopratt (Auckland, New Zealand), K.-s. Chen (Hangzhou, PR China) and I.B. Ferguson (Hangzhou, PR China and Auckland, New Zealand)	1
Effects of three different nano-silver formulations on cut <i>Acacia holosericea</i> vase life J. Liu (Guangzhou, PR China and Gatton, Australia), K. Ratnayake (Gatton, Australia), D.C. Joyce (Gatton, Australia and Nambour, Australia), S. He and Z. Zhang (Guangzhou, PR China)	8
Refinements of the attending equations for several spectral methods that provide improved quantification of $\beta$ -carotene and/or lycopene in selected foods W.W. Fish (Lane, OK, USA)	16
Ethylene produced by <i>Botrytis cinerea</i> can affect early fungal development and can be used as a marker for infection during storage of grapes P. Zhu, L. Xu, C. Zhang (Shanghai, PR China), H. Toyoda (Nara, Japan) and S.-S. Gan (Shanghai, PR China and Ithaca, NY, USA)	23
The application of various disinfectants by fogging for decreasing postharvest diseases of strawberry C. Vardar, K. Ilhan and O.A. Karabulut (Gorukle-Bursa, Turkey)	30
Changes in quality and phenolic antioxidants in dark purple American eggplant ( <i>Solanum melongena</i> L. cv. Lucia) as affected by storage at 0 °C and 10 °C A. Concellón (La Plata, Argentina and Buenos Aires, Argentina), M.J. Zaro, A.R. Chaves and A.R. Vicente (La Plata, Argentina)	35
Quality attributes of <i>Pleurotus eryngii</i> following gamma irradiation K. Akram, J.-J. Ahn, S.-R. Yoon, G.-R. Kim and J.-H. Kwon (Daegu, Republic of Korea)	42



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Short postharvest storage under low relative humidity improves quality and shelf life of minimally processed baby spinach ( <i>Spinacia oleracea</i> L.) M.S. Medina, J.A. Tudela, A. Marín, A. Allende and M.I. Gil (Murcia, Spain)	1
The nonclimacteric guava cultivar 'Jen-Ju Bar' is defective in system 2 1-aminocyclopropane-1-carboxylate synthase activity T.-C. Liu, Y.-C. Liu, K.-E. Chen, C.-W. Chao and C.-T. Wu (Taipei, Taiwan)	10
Antifungal activity of extracts of extremophile plants from the Argentine Puna to control citrus postharvest pathogens and green mold J.E. Sayago, R.M. Ordoñez, L.N. Kovacevich, S. Torres and M.I. Isla (Tucumán, Argentina)	19
Impact of high-dose, short periods of ozone exposure on green mold and antioxidant enzyme activity of tangerine fruit P. Boonkorn (Chiang Mai, Thailand and Bangkok, Thailand), H. Gemma, S. Sugaya (Ibaraki, Japan), S. Setha (Chiang Rai, Thailand), J. Uthabuttra and K. Whangchai (Chiang Mai, Thailand and Bangkok, Thailand)	25
Influence of preharvest calcium applications, fruit injury, and storage atmospheres on postharvest brown rot of apple I.J. Holb (Debrecen, Hungary and Budapest, Hungary), B. Balla, A. Vámos and J.M. Gáll (Debrecen, Hungary)	29
Measurement and evaluation of tomato maturity using magnetic resonance imaging L. Zhang and M.J. McCarthy (Davis, CA, USA)	37
Browning of fresh-cut eggplant: Impact of cutting and storage B.B. Mishra, S. Gautam and A. Sharma (Mumbai, India)	44
Influence of wounding and aging on 1-MCP sorption and metabolism in fresh-cut tissue and cell-free homogenates from apple fruit J.S. Lee, D.J. Huber (Gainesville, FL, USA), C.B. Watkins (Ithaca, NY, USA) and B.M. Hurr (Bracknell, UK)	52
Model-based classification of tomato fruit development and ripening related to physiological maturity B. Van de Poel, I. Bulens, M.L.A.T.M. Hertog (Leuven, Belgium), L. Van Gastel (Meerle, Belgium), M.P. De Proft, B.M. Nicolai and A.H. Geeraerd (Leuven, Belgium)	59
Kinetic modeling of firmness breakdown in 'Braeburn' apples stored under different controlled atmosphere conditions S.G. Gwanpua, B.E. Verlinden, M.L.A.T.M. Hertog, I. Bulens, B. Van de Poel, J. Van Impe, B.M. Nicolai and A.H. Geeraerd (Heverlee, Belgium)	68
Ethanol treatment inhibits internal ethylene concentrations and enhances ethyl ester production during storage of oriental sweet melons ( <i>Cucumis melo</i> var. <i>makuwa</i> Makino) W.W. Liu, H.Y. Qi, B.H. Xu, Y. Li, X.B. Tian, Y.Y. Jiang, X.F. Xu and D.Q. Lv (Liaoning, PR China)	75
Sulfur dioxide fumigation alone or in combination with CO <sub>2</sub> -enriched atmosphere extends the market life of highbush blueberry fruit C.M. Cantin, I.S. Minas (Davis, CA, USA), V. Goulas (Lemesos, Cyprus), M. Jiménez (Davis, CA, USA), G.A. Manganaris (Lemesos, Cyprus), T.J. Michailides (Parlier, CA, USA) and C.H. Crisosto (Davis, CA, USA)	84
1-Methylcyclopropene extends the shelf-life of 'Shatangju' mandarin ( <i>Citrus reticulata</i> Blanco) fruit with attached leaves Q. Li, F. Wu, T. Li, X. Su, G. Jiang, H. Qu, Y. Jiang and X. Duan (Guangzhou, PR China)	92
Black heart characterization and detection in pomegranate using NMR relaxometry and MR imaging L. Zhang and M.J. McCarthy (Davis, CA, USA)	96
Phenol compound metabolism and gene expression in the skin of wine grape ( <i>Vitis vinifera</i> L.) berries subjected to partial postharvest dehydration C. Bonghi, F.M. Rizzini (Legnaro, Italy), A. Gambuti, L. Moio (Portici, Italy), L. Chkaiban and P. Tonutti (Pisa, Italy)	102

*(Contents continued on page 172)*



(Contents continued on OBC)

Changes in antioxidant capacity during development and ripening of goldenberry ( <i>Physalis peruviana</i> L.) fruit and in response to 1-methylcyclopropene treatment M. Valdenegro, L. Fuentes, R. Herrera and M.A. Moya-León (Talca, Chile)	110
Temperature effect on apple biospeckle activity evaluated with different indices A. Kurenda, A. Adamiak and A. Zdunek (Lublin, Poland)	118
Relationship between changes in colour and pigment content during spathe regreening of <i>Zantedeschia</i> 'Best Gold' J. Chen, K.A. Funnell, D.H. Lewis, J.R. Eason and D.J. Woolley (Palmerston North, New Zealand)	124
Ultrasonic evaluation of the hydration degree of the orange peel N. Jiménez, R. Picó, F. Camarena, J. Redondo and B. Roig (Grao de Gandia, Spain)	130
Mechanism of antifungal action of borate against <i>Colletotrichum gloeosporioides</i> related to mitochondrial degradation in spores X. Shi, B. Li, G. Qin and S. Tian (Beijing, China)	138
Chilling injury in <i>Dendrobium</i> inflorescences is alleviated by 1-MCP treatment S. Phetsirikoon (Bangkok, Thailand), S. Ketsa (Bangkok, Thailand and Thailand) and W.G. van Doorn (Davis, CA, USA)	144
Parameter uncertainties and error propagation in modified atmosphere packaging modelling V. Guillard, C. Guillaume (Montpellier, France) and S. Destercke (Compiègne, France)	154
Delayed controlled atmosphere storage affects storage disorders of 'Empire' apples J.R. DeEll and B. Ehsani-Moghaddam (Simcoe, Canada)	167



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Effect of yeast saccharide treatment on nitric oxide accumulation and chilling injury in cucumber fruit during cold storage J. Dong, Q. Yu, L. Lu and M. Xu (Hangzhou, China)	1
Effects of modified atmosphere packaging and ethanol vapor treatment on the chemical composition of 'Red Globe' table grapes during storage D. Ustun, E. Candir, A.E. Ozdemir, O. Kamiloglu, E.M. Soylu (Antakya, Turkey) and R. Dilbaz (Mersin, Turkey)	8
Boron improves the biocontrol activity of <i>Cryptococcus laurentii</i> against <i>Penicillium expansum</i> in jujube fruit B. Cao, H. Li, S. Tian and G. Qin (Beijing, China)	16
Magnetic resonance imaging and relaxometry to visualize internal freeze damage to pickling cucumber N. Kotwaliwale (Bhopal, India), E. Curtis, S. Othman, G.K. Naganathan and J. Subbiah (Lincoln, NE, USA)	22
Antioxidant treatment alters metabolism associated with internal browning in 'Braeburn' apples during controlled atmosphere storage J. Lee, J.P. Mattheis and D.R. Rudell (Wenatchee, WA, USA)	32
Brief postharvest exposure to pulsed light stimulates coloration and anthocyanin accumulation in fig fruit ( <i>Ficus carica</i> L.) V. Rodov, Y. Vinokur and B. Horev (Bet-Dagan, Israel)	43
Effect of X-ray irradiation on nutritional and antifungal bioactive compounds of 'Clemenules' clementine mandarins C. Rojas-Argudo, L. Palou, A. Bermejo, A. Cano, M.A. del Río and M. Carmen González-Mas (Valencia, Spain)	47
Effects of sodium bicarbonate on pathogenicity of <i>Colletotrichum musae</i> and potential for controlling postharvest diseases of banana D.M. De Costa and H.M.D.M. Gunawardhana (Peradeniya, Sri Lanka)	54
Early detection of <i>Botrytis cinerea</i> latent infections as a tool to improve postharvest quality of table grapes S.M. Sanzani (Bari, Italy), L. Schena (Reggio Calabria, Italy), V. De Cicco (Campobasso, Italy) and A. Ippolito (Bari, Italy)	64
Influence of dipping in sodium metabisulfite on pericarp browning of litchi cv. Yu Her Pau (Feizixiao) Y.S. Liang, N.L. Chen and L.S. Ke (Pingtung County, Taiwan)	72
Cold-induced changes in ACC metabolism determine softening recovery in 1-MCP treated 'conference' pears M.-A. Chiriboga, I. Recasens (Lleida, Spain), W.C. Schotsmans (Vlimmeren, Belgium), E. Dupille (Barcelona, Spain) and C. Larrigaudière (Lleida, Spain)	78



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Changes in color, antioxidant, and free radical scavenging enzyme activity of mushrooms under high oxygen modified atmospheres Z. Liu and X. Wang (Zibo, PR China)	1
Effect of variety and harvest time on respiration rate of broccoli florets and wild rocket salad using a novel O <sub>2</sub> sensor H.F. Seefeldt, M.M. Løkke and M. Edelenbos (Årsløv, Denmark)	7
Prediction of the optimum harvest time of 'Scarlet' apples using DR-UV-Vis and NIR spectroscopy E. Bertone, A. Venturello (Turin, Italy), R. Leardi (Genoa, Italy) and F. Geobaldo (Turin, Italy)	15
Rapid 1-methylcyclopropene (1-MCP) treatment and delayed controlled atmosphere storage of apples C.B. Watkins and J.F. Nock (Ithaca, NY, USA)	24
Influence of spectral distribution on bacterial inactivation and quality changes of fresh-cut watermelon treated with intense light pulses A.Y. Ramos-Villarroel (Maturín, Venezuela), N. Aron-Maftei (Galati, Romania), O. Martín-Belloso and R. Soliva-Fortuny (Lleida, Spain)	32
Control of postharvest green mold of citrus fruit by application of endophytic <i>Paenibacillus polymyxa</i> strain SG-6 K. Lai (Guangzhou, PR China and Nanning, PR China), S. Chen, M. Hu, Q. Hu, P. Geng, Q. Weng and J. Jia (Guangzhou, PR China)	40
Integrated control of blue mold in pear fruit by combined application of chitosan, a biocontrol yeast and calcium chloride T. Yu, C. Yu, F. Chen, K. Sheng, T. Zhou, M. Zunun, O. Abudu, S. Yang and X. Zheng (Hangzhou, People's Republic of China)	49
Texture dynamics during postharvest cold storage ripening in apple ( <i>Malus × domestica</i> Borkh.) F. Costa, L. Cappellin, M. Fontanari, S. Longhi (San Michele all'Adige, Italy), W. Guerra (Ora, Italy), P. Magnago, F. Gasperi and F. Biasioli (San Michele all'Adige, Italy)	54



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Effect of 1-methylcyclopene on senescence and quality maintenance of green bell pepper fruit during storage at 20 °C S. Cao (Nanjing, PR China), Z. Yang (Ningbo, PR China) and Y. Zheng (Nanjing, PR China)	1
Development of cold quarantine protocols to arrest the development of the Mediterranean fruit fly ( <i>Ceratitis capitata</i> ) in pepper ( <i>Capsicum annuum</i> L.) fruit after harvest E. Fallik, Y. Perzelan, S. Alkalai-Tuvia, E. Nemny-Lavy and D. Nestel (Bet Dagan, Israel)	7
Volatile dynamics during maturation, ripening and cold storage of three Japanese plum cultivars ( <i>Prunus salicina</i> Lindl.) E.D. Louw and K.I. Theron (Matieland, South Africa)	13
Control of a wide range of storage rots in naturally infected apples by hot-water dipping and rinsing P. Maxin (Aarslev, Denmark), R.W.S. Weber (Jork, Germany), H.L. Pedersen and M. Williams (Aarslev, Denmark)	25
Effect of chitosan-lemon essential oil coatings on storage-keeping quality of strawberry A. Perdonés, L. Sánchez-González (Valencia, Spain and Vandoeuvre-lès-Nancy, France), A. Chiralt and M. Vargas (Valencia, Spain)	32
On the prediction of the remaining vase life of cut roses S.-O. Tromp, R.G.M. van der Sman, H.M. Vollebregt and E.J. Woltering (Wageningen, The Netherlands)	42
Proteomic analysis of banana fruit reveals proteins that are differentially accumulated during ripening T.T. Toledo, S.B. Nogueira, B.R. Cordenunsi (São Paulo, Brazil), F.C. Gozzo, E.J. Pilau, F.M. Lajolo and J.R.O. do Nascimento (São Paulo, Brazil)	51
Investigation of potential antibacterial action for postharvest copper treatments of cut <i>Acacia holosericea</i> K. Ratnayake (Gatton, Australia), D.C. Joyce (Gatton, Australia and Brisbane, Australia) and R.I. Webb (St. Lucia, Australia)	59



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Permselective MA packaging of litchi (cv. Shahi) for preserving quality and extension of shelf-life S. Mangaraj (Bhopal, India), T.K. Goswami (Kharagpur, India), S.K. Giri and M.K. Tripathi (Bhopal, India)	1
Extending shelf-life of fresh-cut green peppers using pressurized argon treatment X. Meng, M. Zhang (Jiangsu, China) and B. Adhikari (Mount Helen, Australia)	13
Nondestructive evaluation of internal maturity of tomatoes using spatially offset Raman spectroscopy J. Qin, K. Chao and M.S. Kim (Beltsville, MD, USA)	21
Use of microperforated films and oxygen scavengers to maintain storage stability of fresh strawberries S. Kartal, M.S. Aday and C. Caner (Canakkale, Turkey)	32
Influence of maturity and ripening on aroma volatiles and flavor in 'Hass' avocado D. Obenlanda (Parlier, CA, USA), S. Collin, J. Sievert, F. Nøgm and M. Lu Arpaia (Riverside, CA, USA)	41



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Influence of preharvest application of fungicides on the postharvest quality of tomato ( <i>Solanum lycopersicum</i> L.) I. Domínguez (Almería, Spain), F. Ferreres (Murcia, Spain), F. Pascual del Riquelme (Barcelona, Spain), R. Font (Almería, Spain) and M.I. Gil (Murcia, Spain)	1
Influence of harvest time and 1-MCP application on postharvest ripening and ethylene biosynthesis of 'Jonagold' apple I. Bulens, B. Van de Poel, M.L.A.T.M. Hertog, M.P. De Proft, A.H. Geeraerd and B.M. Nicolai (Leuven, Belgium)	11
Ethylene production and 1-aminocyclopropane-1-carboxylate (ACC) synthase and ACC oxidase gene expression in apple fruit are affected by 9,10-ketol-octadecadienoic acid (KODA) S. Kondo, H. Tomiyama, M. Kittikorn, K. Okawa, H. Ohara (Matsudo, Japan), M. Yokoyama, O. Ifuku (Yokohama, Japan), T. Saito, Y. Ban, M. Tatsuki, T. Moriguchi (Tsukuba, Japan), A. Murata and N. Watanabe (Ohya, Japan)	20
Calcium oxalate crystal distribution in rose peduncles: Non-invasive analysis by synchrotron X-ray micro-tomography U. Matsushima (Iwate, Japan), A. Hilger, W. Graf (Darmstadt, Germany), S. Zabler, I. Manke (Würzburg, Germany), M. Dawson (Salford, UK), G. Choinka and W.B. Herppich (Germany)	27
The effects of cold storage and aminoethoxyvinylglycine (AVG) on bioactive compounds of plum fruit ( <i>Prunus salicina</i> Lindell cv. 'Black Amber') B. Ozturk, E. Kucuker, S. Karaman and Y. Ozkan (Tokat, Turkey)	35
Mining the apple genome reveals a family of nine ethylene receptor genes H.S. Ireland (Auckland, New Zealand), F. Guillen (Alicante, Spain), J. Bowen, E.J. Tacken (Auckland, New Zealand), J. Putterill, R.J. Schaffer and J.W. Johnston (Auckland, New Zealand)	42
Molecular and physiological study of postharvest rachis browning of table grape cv Red Globe I. Balic, A. Moreno, D. Sanhueza, C. Huerta, A. Orellana (Santiago, Chile), B.G. Defilippi (Santiago, Chile) and R. Campos-Vargas (Santiago, Chile)	47
Control of storage diseases of citrus by pre- and postharvest application of salts K. Youssef (Bari, Italy and Giza, Egypt), A. Ligorio, S.M. Sanzani, F. Nigro and A. Ippolito (Bari, Italy)	57
Harvest maturity detection for 'Nam Dokmai #4' mango fruit ( <i>Mangifera indica</i> L.) in consideration of long supply chains S. Kienzle (Stuttgart, Germany), P. Srumsiri (Chiang Mai, Thailand), R. Carle, S. Sirisakulwat (Stuttgart, Germany and Chiang Mai, Thailand), W. Spreer and S. Neidhart (Stuttgart, Germany)	64
Combination of light exposure and low temperature in preserving quality and extending shelf-life of fresh-cut broccoli ( <i>Brassica oleracea</i> L.) L. Zhan, J. Hu, Y. Li and L. Pang (Zhengzhou, PR China)	76



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Identification of genes possibly related to loss of quality in late-season 'Hass' avocados in Chile M. García-Rojas, O. Gudenschwager (Santiago, Chile), B.G. Defilippi (Chile) and M. González-Agüero (Santiago, Chile)	1
A model of postharvest moisture loss under air currents to reduce pericarp browning of litchi ( <i>Litchi chinensis</i> Sonn.) P.H. Bryant (St Lucia, Australia)	8
Influence of postharvest storage temperature, time, and invertase enzyme activity on sucrose and weight loss in sugarcane A.K. Verma (Shahjahanpur, India and Lucknow, India), S.B. Singh, A.K. Agarwal (Shahjahanpur, India) and S. Solomon (Lucknow, India)	14
Low temperature-induced lycopene degradation in red ripe tomato evaluated by remittance spectroscopy B. Farneti, R.E. Schouten and E.J. Woltering (Wageningen, The Netherlands)	22
Effect of ethylene and 1-methylcyclopropene on bitter compounds in carrots ( <i>Daucus carota</i> L.) M. Kramer, G. Bufler (Stuttgart, Germany), D. Ulrich (Quedlinburg, Germany), M. Leitenberger, J. Conrad, R. Carle and D.R. Kammerer (Stuttgart, Germany)	28
Long-term deficit and excess of irrigation influences quality and browning related enzymes and phenolic metabolism of fresh-cut iceberg lettuce ( <i>Lactuca sativa</i> L.) M.C. Luna, J.A. Tudela, A. Martínez-Sánchez, A. Allende, A. Marín and M.I. Gil (Espinardo, Spain)	37
Browning inhibition in fresh-cut rose apple fruit cv. Taaptimjaan using konjac glucomannan coating incorporated with pineapple fruit extract S. Supapvanich, P. Prathan and R. Tepsorn (Muang, Thailand)	46
Effect of noble gas-enriched atmospheres on the overall quality of ready-to-eat arugula salads C. Char (Santiago, Chile), A.C. Silveira (Montevideo, Uruguay), C. Inestroza-Lizardo, A. Hinojosa, A. Machuca and V.H. Escalona (Santiago, Chile)	50
Biocontrol of apple postharvest decay by <i>Aureobasidium pullulans</i> M. Mari, C. Martini, A. Spadoni, W. Rouissi and P. Bertolini (Bologna, Italy)	56
Water distribution and ionic balance in response to high CO <sub>2</sub> treatments in strawberries ( <i>Fragaria vesca</i> L. cv. Mara de Bois) M. Blanch, M.T. Sanchez-Ballesta, M.I. Escribano and C. Merodio (Madrid, Spain)	63
Changes on the cell wall composition of tree-ripened "Bartlett" pears ( <i>Pyrus communis</i> L.) M.D. Raffo (Allen, Argentina), N.M.A. Ponce, G.O. Sozzi, C.A. Stortz (Buenos Aires, Argentina) and A.R. Vicente (La Plata, Argentina)	72
Storage of fresh walnuts ( <i>Juglans regia</i> L.) - Low temperature and phenolic compounds M.V. Christopoulos and E. Tsantili (Athens, Greece)	80
Comparison and fusion of four nondestructive sensors for predicting apple fruit firmness and soluble solids content F. Mendoza, R. Lu and H. Cen (East Lansing, MI, United States)	89
Freshness and sensory quality of packaged wild rocket M.M. Løkke, H.F. Seefeldt and M. Edelenbos (Årsløv, Denmark)	99
Effects of calcium citrate and ascorbate as inhibitors of browning and softening in minimally processed 'Birgah' eggplants R.N. Barbagallo, M. Chisari and G. Caputa (Catania, Italy)	107
Consumer freshness perception of spinach samples exposed to different storage conditions Y.J. Jung (Seoul, Republic of Korea), A. Padmanabahn (Corvallis, OR, United States), J.H. Hong (Seoul, Republic of Korea), J. Lim (Corvallis, OR, United States) and K.O. Kim (Seoul, Republic of Korea)	115
The control of postharvest blue and green molds of citrus in relation with essential oil-wax formulations, adherence and viscosity K.H.S. Kouassi (Gembloux, Belgium and Dakar-Fann, Senegal), M. Bajji and H. Jijakli (Gembloux, Belgium)	122



CONTENTS

*Cited in CAB Abstracts, Current Awareness in Biological Sciences (CABS), EMBiology,  
Current Contents, A, B & ES and Food Science and Technology Abstracts (FSTA)*

Prediction of 'Nules Clementine' mandarin susceptibility to rind breakdown disorder using Vis/NIR spectroscopy L.S. Magwaza, U.L. Opara, L.A. Terry, S. Landahl, P.J. Cronje, H. Nieuwoudt, A.M. Mouazen, W. Saeys and B.M. Nicolai (Stellenbosch, South Africa; Bedfordshire, United Kingdom; Leuven, Belgium)	1
Bending in cut <i>Gerbera jamesonii</i> flowers relates to adverse water relations and lack of stem sclerenchyma development, not to expansion of the stem central cavity or stem elongation R.R.J. Perik, D. Razé, H. Harkema, Y. Zhong and W.G. van Doorn (Wageningen, The Netherlands)	11
Effect of electrostatic atomization on ascorbate metabolism in postharvest broccoli G. Ma, L. Zhang, M. Kato, K. Yamawaki, T. Asai, F. Nishikawa, Y. Ikoma, H. Matsumoto, T. Yamauchi and T. Kamisako (Shizuoka, Nagasaki, Japan)	19
Postharvest oxidative behaviour of 1-methylcyclopropene treated Japanese plums ( <i>Prunus salicina</i> Lindell) during storage under controlled and modified atmospheres S.P. Singh and Z. Singh (Perth, Australia)	26
Efficacy of nano-silver in alleviating bacteria-related blockage in cut rose cv. Movie Star stems H. Li, X. Huang, J. Li, J. Liu, D. Joyce and S. He (Guangzhou, PR China; Gatton, Australia; Brisbane, Australia)	36
Intermittent warming alleviated the loss of peach fruit aroma-related esters by regulation of AAT during cold storage W.-p. Xi, B. Zhang, J.-y. Shen, C.-d. Sun, C.-j. Xu and K.-s. Chen (Hangzhou, PR China; Shihezi, PR China)	42
NAA and STS effects on potted bougainvillea: Early flower death allows delayed bract abscission C.M.L. Gago and J.A. Monteiro (Faro, Portugal)	49
Antifungal effect of borates against <i>Fusarium sulphureum</i> on potato tubers and its possible mechanisms of action Y. Li, Z. Yang, Y. Bi, J. Zhang and D. Wang (Lanzhou, China)	55
Quality changes in fresh-cut 'Rocha' pear as affected by oxygen levels in modified atmosphere packaging and the pH of anti-browning additive M.H. Gomes, J.F. Fundo, M.F. Poças and D.P.F. Almeida (Porto, Portugal)	62
Intermittent warming during low temperature storage reduces tomato chilling injury P. Biswas, A.R. East, J.K. Brecht, E.W. Hewett and J.A. Heyes (Palmerston North, New Zealand; Gainesville, FL, USA)	71
Effects of gamma irradiation on physical parameters of <i>Lactarius deliciosus</i> wild edible mushrooms Á. Fernandes, A.L. Antonio, J.C.M. Barreira, M.B.P.P. Oliveira, A. Martins and I.C.F.R. Ferreira (Bragança, Portugal; Porto, Bragança, Portugal; Sacavém, Portugal)	79
Impact of low temperature storage on active and storage forms of folate in choy sum ( <i>Brassica rapa</i> subsp. <i>parachinensis</i> ) T.J. O'Hare, M. Pyke, P. Scheelings, G. Eaglesham, L. Wong, A. Houlihan and G. Graham (Coopers Plains, Australia)	85
Non-destructive measurement of ascorbic acid content in bell peppers by VIS-NIR and SWIR spectrometry T. Ignat, Z. Schmilovitch, J. Fefoldi, B. Steiner and S. Alkalai-Tuvia (Hungary; Bet-Dagan, Israel)	91
Activating defense responses and reducing postharvest blue mold decay caused by <i>Penicillium expansum</i> in peach fruit by yeast saccharide Q. Yu, Q. Chen, Z. Chen, H. Xu, M. Fu, S. Li, H. Wang and M. Xu (Hangzhou, China)	100
Stimulation of coloration and carotenoid biosynthesis during postharvest storage of 'Navelina' orange fruit at 12 °C L. Carmona, L. Zacarías and M.J. Rodrigo (Valencia, Spain)	108
An <i>Enterobacteriaceae</i> species isolated from apples controls foodborne pathogens on fresh-cut apples and peaches I. Alegre, I. Viñas, J. Usall, M. Anguera, M.J. Figge and M. Abadias (Lleida, Spain; Utrecht, The Netherlands)	118
Effect of nitric oxide on the activity of phenylalanine ammonia-lyase and antioxidative response in sweetpotato root in relation to wound-healing J. Yin, S. Bai, F. Wu, G. Lu and H. Yang (Hangzhou, PR China)	125
Effects of nutrient solution electrical conductivity on the compositional and sensory characteristics of greenhouse tomato fruit M.A. Cliff, J.B. Li, P.M.A. Toivonen and D.L. Ehret (Canada)	132

